

Ontigo 10

Element Bo1

MEASURES

Length:	2300 mm
Width:	720 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	162 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils
reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Bo2



MEASURES

Length:	1765 mm
Width:	1195 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	127 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Bo3



MEASURES

Length:	1845 mm
Width:	1220 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	134 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite White Mixed grey

Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Ho1

MEASURES

Length:	2300 mm
Width:	700 mm
Height:	465 mm
Seat height:	465 mm
Weight:	137 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils
reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Ho2

MEASURES

Length:	2300 mm
Width:	700 mm
Height:	465 mm
Seat height:	465 mm
Weight:	115 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils
reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Ho3



MEASURES

Length:	1765 mm
Width:	1180 mm
Height:	465 mm
Seat height:	465 mm
Weight:	106 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors:

More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo1

MEASURES

Length:	2300 mm
Width:	720 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	135 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite White Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo2

MEASURES

Length:	2300 mm
Width:	720 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	135 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo3

MEASURES

Length:	2300 mm
Width:	740 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	149 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils
reinforced with glass fibre

Colors:



Anthrazite White Mixed grey

Stainless Steel components



Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo4

MEASURES

Length:	2300 mm
Width:	740 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	149 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo5



MEASURES

Length:	1950 mm
Width:	1310 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	119 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite White Mixed grey

Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors:

More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo6



MEASURES

Length:	1990 mm
Width:	1195 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	119 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors:

More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo7



MEASURES

Length:	1990 mm
Width:	1160 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	119 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors:



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo8



MEASURES

Length:	2000 mm
Width:	1140 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	119 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors:

More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Wo9

MEASURES

Length:	2300 mm
Width:	1370 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	189,5 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils
reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Do1

MEASURES

Length:	2300 mm
Width:	1370 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	258 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils
reinforced with glass fibre

Colors:



Anthrazite

White

Mixed grey

Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from



- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Do2



MEASURES

Length:	2290 mm
Width:	1830 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	248 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components


Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from


- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Po1



MEASURES

Length:	2300 mm
Width:	2690 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	445 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite White Mixed grey

Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Po2

MEASURES

Length:	2300 mm
Width:	2690 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	557 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Anthrazite White Mixed grey

Stainless Steel components



Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from


- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Po3



MEASURES

Length:	2300 mm
Width:	2910 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	557 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components

Material:


Stainless steel type 304 | powder coated

Colors:

More than 8500 colors from


- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors



Ontigo 10

Element Po4



MEASURES

Length:	2300 mm
Width:	2690 mm
Height:	1000 mm
Seat height:	465 mm
Weight:	557 kg

GROUND ANCHORS


1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

Printed components

Material:

100% recycled industrial foils reinforced with glass fibre

Colors:



Stainless Steel components

Material:

Stainless steel type 304 | powder coated

Colors: More than 8500 colors from

- BENKERT-Colors
- DB-Selection
- RAL-CLASSIC
- RAL-DESIGN
- PANTONE
- NCS

www.benkert.info/colors

