SICORUM M1200

Stool bench 2245 solar

BENKERTBÄNKE




Benkert GmbH | Leite 1 | 97486 Königsberg i. Bay. / Altershausen | Telefon +49 9525 9225-0 | Telefax +49 9525 9225-49 | mail@benkert.info | www.benkert.info

SICORUM M1200

Stool bench 2245 solar

BENKERTBÄNKE




Benkert GmbH | Leite 1 | 97486 Königsberg i. Bay. / Altershausen | Telefon +49 9525 9225-0 | Telefax +49 9525 9225-49 | mail@benkert.info | www.benkert.info

SICORUM M1200

Stool bench 2245 solar

BENKERTBÄNKE



GROUND ANCHOR

1. Concrete-in, installation depth 250 mm
2. Bolt-on, installation depth 80 mm

DIMENSIONS

Length:	2245 mm
Width:	465 mm
Height:	455 mm
Seat height:	455 mm
Weight:	66 kg

FRAME

Stainless steel type 304 | powder-coated




SEAT

Stainless steel type 304 | square tubes 15 x 15 mm



SOLARPANEL



Length:	1800 mm
Width:	152 mm
Height:	44 mm
Weight:	11 kg

- Solar panel with 48W
- LED lighting
- Lithium-ion battery with 20Ah
- Integrated MPPT charge controller adjusts the input voltage of the solar panel so that it can deliver maximum power
- 2 wireless chargers for inductive charging (Qi standard)
- Active cooling system with two fans
- Automatic lighting in the dark
- On/off switch for manual operation when required

Benkert GmbH | Leite 1 | 97486 Königsberg i. Bay. / Altershausen | Telefon +49 9525 9225-0 | Telefax +49 9525 9225-49 | mail@benkert.info | www.benkert.info

SICORUM M1200

Stool bench 2245 solar

BENKERTBÄNKE

GROUND ANCHOR CONCRETE-IN, INSTALLATION DEPTH 250 MM



Foundations depend on local conditions - This is only a suggestion without warranty

Benkert GmbH | Leite 1 | 97486 Königsberg i. Bay. / Altershausen | Telefon +49 9525 9225-0 | Telefax +49 9525 9225-49 | mail@benkert.info | www.benkert.info

SICORUM M1200

Stool bench 2245

BENKERTBÄNKE

GROUND ANCHOR BOLT-ON, INSTALLATION DEPTH 80 MM

Flat top

Roof top



Foundations depend on local conditions - This is only a suggestion without warranty

Benkert GmbH | Leite 1 | 97486 Königsberg i. Bay. / Altershausen | Tel.: +49 9525 9225-0 | mail@benkert.info | www.benkert.info